

International Energy Agency Agreement on the Production and Utilization of Hydrogen

End-of-Term Report: 1999-2004 and Plans: 2004-2009

INTRODUCTION

The current term for the International Energy Agency (IEA) Agreement on the Production and Utilization of Hydrogen ends in June 2004. The Hydrogen Agreement was initiated in 1977 to advance hydrogen production, storage and end-use technologies and to accelerate hydrogen's acceptance and widespread utilization. The most recent extension of the Agreement was approved in June 1999.

OBJECTIVES AND STRATEGY

Today, hydrogen is primarily used as a chemical feedstock in the petrochemical, food, electronics, and metallurgical processing industries, but is rapidly emerging as a major component of clean sustainable energy systems. It is relevant to all of the energy sectors - transportation, buildings, utilities, and industry. Hydrogen can provide storage options for intermittent renewable technologies such as solar and wind, and, when combined with emerging decarbonization technologies, can reduce the climate impacts of continued fossil fuel utilization. The members of the IEA Hydrogen Program agree that energy related hydrogen technologies, thus, merit serious attention. The following are the guiding principles on which the scope of the Agreement is based:

- Hydrogen--now mainly used as a chemical for up-grading fossil-based energy carriers--will in the future increasingly become an energy carrier itself. It is necessary to carry out the analysis, studies, research, development and dissemination that will facilitate a significant role for hydrogen in the future.
- Significant use of hydrogen will contribute to the reduction of energy-linked environmental impacts, including global warming due to anthropogenic carbon emissions, mobile source emissions such as CO, NO_x, SO_x, and NMHC (non-methane hydrocarbons), and particulates.
- Hydrogen can be used as a fuel for a wide variety of end-use applications including important uses in the transportation and utility sectors.
- Hydrogen is currently used to up-grade lower quality, solid and liquid fossil fuels, such as coal and heavy oils. The use of hydrogen in such applications reduces harmful emissions through more efficient end-use conversion processes and extends the range of applicability. Ultimately, with the addition of hydrogen, carbon dioxide emissions can be used to produce useful chemicals and fuels.

- Hydrogen has the potential for short, medium and long-term applications and the steps to realize the potential for applications in appropriate time frames must be understood and implemented.
- All sustainable energy sources require conversion from their original form. Conversion to electricity and/or hydrogen will constitute two prominent, complimentary options in the future.
- Hydrogen can assist in the development of renewable and sustainable energy sources by providing an effective means of storage, distribution and conversion; moreover, hydrogen can broaden the role of renewables in the supply of clean fuels for transportation and heating.
- Hydrogen can be produced as a storable, clean fuel from the world's sustainable non-fossil primary energy sources - solar, wind, hydro, biomass, geothermal, nuclear, or tidal. Hydrogen also has the unique feature that it can upgrade biomass to common liquid and gaseous hydrocarbons, thus providing a flexible, sustainable fuel.
- All countries possess some form of sustainable primary energy sources; hence, hydrogen energy technologies offer an important potential alternative to fossil fuel energy supply (in many instances to imported fuels). Utilization of hydrogen technologies can contribute to energy security, diversity and flexibility.
- Barriers, both technical and non-technical, to the introduction of hydrogen are being reduced through advances in renewable energy technologies and hydrogen systems including progress in addressing hydrogen storage and safety concerns.
- Hydrogen energy systems have potential value for locations where a conventional energy supply infrastructure does not exist. The development of hydrogen technologies in niche applications will result in improvements and cost reductions that will lead to broader application in the future.

The members of the IEA Hydrogen Agreement recognize that a long-term research and development effort is required to realize the significant technological potential of hydrogen energy. This effort can help create competitive hydrogen energy production and end-use technologies, and supports development of the infrastructure required for its use. Attention is to be given to the entire system, in particular all of the key elements should be covered either with new research or based on common knowledge.

If the technological potential of hydrogen is realized, it will contribute to the sustainable growth of the world economy by facilitating a stable supply of energy and by helping to reduce future emissions of carbon dioxide. Cooperative efforts among nations can help speed effective progress towards these goals. Inasmuch as hydrogen is in a pre-commercial phase, it is particularly suited to collaboration as there are fewer proprietary issues than in many energy technologies.

IEA Hydrogen Vision: Our vision for a hydrogen future is one based on clean sustainable energy supply of global proportions that plays a key role in all sectors of the economy.

IEA Hydrogen Mission: The mission of the IEA Hydrogen Program is to accelerate hydrogen implementation and widespread utilization.

IEA Hydrogen Strategy: Our strategy is to facilitate, coordinate and maintain innovative research, development and demonstration activities, through international cooperation and information exchange.

We will achieve this strategy by meeting the below listed objectives:

Technology Objective:

Promote acceptance of hydrogen as an energy carrier.

Actions:

- Conduct research and development activities to address important barriers to hydrogen's acceptance.
- Foster and maintain a balanced portfolio of hydrogen technologies.
- Develop safe, efficient, and cost-effective hydrogen storage systems.
- Demonstrate integrated hydrogen systems.
- Collect, disseminate, and analyze information on hydrogen technologies.
- Develop direct hydrogen production technologies.

Energy Security Objective:

Contribute to global energy security.

Actions:

- Facilitate the transition from fossil fuel energy systems to sustainable hydrogen-based energy systems.
- Provide resources for the conversion of intermittent and seasonal renewables to base-load, load-following or peak-load power supplies, and to transportation fuels.
- Assist developing countries in evaluating sustainable, indigenous resources for hydrogen production.

Deployment Objective:

Promote deployment of hydrogen technologies with important local and global energy benefits.

Actions:

- Provide design support for hydrogen demonstrations.
- Conduct cost-shared and task-shared deployment activities for hydrogen energy systems.
- Act as an information resource for on-going and proposed hydrogen demonstration activities, including performance analyses.
- Conduct case studies for hydrogen systems in developing countries.

Environmental Objective:

Exploit the environmental benefits of hydrogen.

Actions:

- Carry out research and development on renewable hydrogen production techniques.
- Promote hydrogen as a "clean" fuel.
- Perform life cycle assessments of hydrogen technologies and energy systems.
- Conduct research and development on technologies that lead to the decarbonization of fossil fuels.

Economic Objective:

Develop cost-effective hydrogen energy systems that can compete in global markets.

Actions:

- Encourage industry participation to obtain market-oriented input for the prioritization of research, development and demonstration activities.
- Develop and utilize analysis tools to evaluate and optimize hydrogen systems.
- Increase involvement of industry in the Agreement's activities.
- Foster clean system incentive policies.
- Identify secondary benefits of hydrogen energy systems, such as demilitarization.

Market Objective:

Identify and overcome barriers for hydrogen's penetration into the energy and fuel markets.

Actions:

- Contribute to the scientific and technical basis for approved codes and standards.
- Promote hydrogen infrastructure for supply, maintenance and operation.
- Pursue technologies that will lead to increased market penetration for hydrogen.
- Initiate safety-related educational and technology assessment activities.

Outreach Objective:

Advertise the benefits of hydrogen.

Actions:

- Increase involvement of private and public organizations in the Hydrogen Program.
- Utilize media tools to promote hydrogen education.
- Establish collaborative research and development projects that promote international networks.
- Collaborate with other IEA Agreements to increase the effectiveness of crosscutting research and development activities.
- Increase cooperation to reach "critical mass" in research and development activities.

Concerns about global climate change and energy security create the forum for mainstream market penetration of hydrogen. Ultimately, hydrogen and electricity, our two major energy carriers, will come from sustainable energy sources, although, fossil fuel will likely remain a significant and transitional resource for many decades. Our vision for a hydrogen future is one of clean sustainable energy supply of global proportions that plays a key role in all sectors of the economy. We will implement our vision with advanced technologies including direct solar production systems and low-temperature metal hydrides and room-temperature carbon nanostructures for storage.

PARTICIPATION OF COUNTRIES, INDUSTRY AND UTILITIES

Table 1. Participating Countries in the IEA Hydrogen Agreement

Country	Contracting Party
Canada	Natural Resources Canada Stuart Energy Systems (formerly the Electrolyzer Corporation)
<i>Denmark</i>	<i>Danish Gas Technology Center</i>
European Commission	Joint Research Center
Iceland ¹	National Energy Authority
Italy	Ente per le Nuove Tecnologie, L'Energia e L'Ambiente (ENEA)

Country	Contracting Party
Japan	New Energy and Industrial Technology Development Organization (NEDO)
Lithuania ¹	Lithuanian Energy Institute
Netherlands	Netherlands Agency for Energy and the Environment (NOVEM)
Norway	Research Council of Norway
Spain	Ministry of Industry and Energy
Sweden	Swedish Energy Agency
Switzerland	Swiss Federal Office of Energy
United Kingdom	Department of Trade and Industry
United States	Department of Energy

¹ Indicates Non-Member Country Participants

During the term, Italy returned to active status. The United Kingdom rejoined the Agreement, this time with the Department of Trade and Industry as the Contracting Party. Denmark joined the Agreement in January 2004. Turkey remains a signatory to the Agreement, but is considered inactive. Non-member Country participants were Lithuania, who joined the Agreement in March 2002, and Iceland, who joined in [month] 2003.

Table 2. Task Participation

Country	Task 13	Task 14	Task 15	Task 16	Task 17	Task 18
Canada	X		X		X	X
European Commission	X					TBD
Iceland ¹						X
Italy					X	TBD
Japan	X	X	X	X	X	TBD
Lithuania ¹	X				X	TBD
Netherlands	X		X	X		TBD
Norway	X		X	X	X	X
Spain	X			X	X	TBD
Sweden	X	X	X	X	X	X
Switzerland	X	X		X	X	TBD
United Kingdom	X		X	X	X	TBD
United States	X	X	X	X	X	X

Industry Involvement

Stuart Energy Systems (formerly the Electrolyzer Corporation) remains a signatory to the Agreement and an active participant in the research tasks. Norsk Hydro served as Operating Agent for Task 16, Hydrogen from Carbon-Containing Materials. The Operating Agents for Tasks 15, 17 and 18, are from private consulting firms. Additionally, a number of industry representatives participated in the collaborative Tasks; these are shown in Table 2.

Table 3. Industry Participation

Company	Task 13, Design and Optimization of Integrated Systems	Task 14, Photoelectrolytic Production of Hydrogen	Task 15, Photobiological Hydrogen Production	Task 16, Hydrogen from Carbon- Containing Materials	Task 17, Solid and Liquid State Hydrogen Storage Materials	Task 18, Integrated Systems Evaluation
Biomass Technology Group (NL)				X		
BP				X		
Dynamotive				X		
ENI				X		
EniTechnology			X (unofficial)			
Ergenics (US)					X	
Gas Natural				X		
Gastec				X		
Gas Technology Institute				X		
Gaz de France				X		
Haldor Topsøe				X		
IGS Mahler				X		
Intelligent Energy				X		
Longitude 122 West (US)	X					X
Norsk Hydro				X		
Osaka Gas				X		
PanCanadian				X		
Repsol				X		
Shell				X		
Statoil				X		
Stuart Energy Systems	X					X
SunaTech, Inc. (US)					X	
Suncor				X		
Sycon	X					
Sydkraft	X					X
Texaco				X		
United Technologies					X	

Withdrawals

There were no withdrawals during the period. Germany withdrew from the Agreement just prior to the start of the period. Discussions continue with representatives from Germany to bring them back into the Agreement.

PROGRAM AND NATURE OF WORK

The use of hydrogen as an energy carrier is considered a mid- to long-term goal. Hydrogen production from renewables will likely not be cost-competitive with fossil-based production, at least in the near-term. Likewise, infrastructure barriers, particularly in the storage area, hinder near-term application of hydrogen for transportation applications. Additionally, safety issues, both real and perceived, are concerns for acceptance of hydrogen by the general population. Thus, the Hydrogen Agreement is focused on pursuing technologies that will help overcome some of the infrastructure barriers and/or result in the reduced cost of hydrogen systems.

- § To achieve the advantages of a "hydrogen future," namely a reduction in carbon emissions, hydrogen must be able to be cost-effectively produced from renewables. Thus, the Hydrogen Agreement has been pursuing R&D in the solar production area, both biological and electrochemical. Much must still be learned about photobiological processes before we are able to understand the economic potential of this production technology. The electrochemical approach is, of course, hindered by the fact that photovoltaic technology is not yet cost competitive. However, advances with lower-cost materials, dye-sensitization, catalysts and novel system configurations are bringing this technology much closer to commercial practicality.
- § On-board storage in vehicles is one of the major barriers to the acceptance of hydrogen-powered vehicles. Metal hydrides and similar storage medium, such as carbon, are thought to have the greatest potential for the safe, on-board storage of hydrogen. However, work-to-date has not proven cost effective due to the inability of current technology to meet the hydrogen storage percentages required for maintaining vehicle weights within a reasonable range.
- § The use of hydrogen in the metals, chemicals, glass, food, electronics, fertilizer, petroleum and space industries is well established. The range of uses has been increasing, as has the consumption by specific application. Historically, hydrogen has had an excellent safety record. The many studies, R&D efforts, and experience base have contributed to the publication of regulations, standards, industrial data sheets and technical reports. Hydrogen safety is an issue of every aspect from production to utilization and continues to be of the utmost importance; not only to those researching, designing and working with it; but to the general public, local authorities, insurance agents, etc., as well.
- § Achieving the vast potential benefits of a hydrogen system requires careful integration of production, storage and end-use components with minimized cost and maximized efficiency, and a strong understanding of environmental impacts and opportunities. System models combined with detailed life cycle assessments provide the platform for standardized comparisons of energy systems for specific applications. Individual component models form the framework by which these system designs can be formulated and evaluated.

The Hydrogen Agreement has developed a broad portfolio of collaborative research activities to address the aforementioned challenges for hydrogen penetration into the world energy marketplace. The portfolio of work includes task-shared basic and applied research; information exchange; and task-shared and cost-shared analysis of research, development and demonstration projects. The following Tasks were undertaken during the five-year period (note – participation in each Task is indicated in Table 2 above):

Task 13: Design and Optimization of Integrated Systems (January 1999 – June 2002)

Hydrogen energy systems have been proposed as a means to increase energy independence, improve domestic economies, and reduce greenhouse gas and other harmful emissions from stationary and mobile sources. These systems, however, face technical and economic barriers that must be overcome before hydrogen can become a competitive energy carrier for the 21st century.

Comparison of different system configurations for a particular application requires a set of criteria on which the comparison can be made. This can include efficiency, environmental impacts, economic impact, capital and operating costs, and other measures of importance to the analyst. In all cases, these parameters can be reduced to a comparison of costs, when an appropriate value is assigned to these criteria. It is important to develop consistent cost models for the various hydrogen components so that fair assessments can be made of alternative designs. This is particularly important when comparing dissimilar systems at very different levels of development and commercialization.

The objective of Task 13 was to provide a means by which hydrogen energy systems can be compared to conventional energy systems. In order to meet this objective, existing, planned, and conceptual hydrogen demonstration systems were designed, optimized, and evaluated using the tools developed under a previous effort. Emphasis was placed on comparative analysis of these integrated systems. The activities focused on near- and mid-term applications (3-10 years), with consideration of the transition to sustainable hydrogen energy systems.

A Cost Model was developed based on standard engineering procedures while allowing variations specific to each application. It uses multiple data sheets such as Components, Local Conditions, Investments, Operations, Cost Model and Cash Flows. The User is guided through each sheet and is asked to provide data where appropriate. Default values are included in the Cost Model. The “Components” section of the Cost Model provides information on the required system hardware. The “Local Conditions” sheet compiles data relative to the costs of various inputs in each country as well as prevailing economic conditions characterizing local business acceptability. The “Investment” section of the model details the required initial investment in each system as well as the future investment at the end of the life of the project. The “Operations” section compiles data relative to operating conditions of the system while the “Scaling” section adjusts the data to the size of the component for the project selected. Finally, the cash flow section determines the project’s business acceptability in the selected country.

Experts canvassed potential hydrogen demonstration project leaders to identify candidate configurations for analysis. This activity included designs for conceptual hydrogen demonstrations. Potential demonstrations were evaluated and recommendations made as to

optimum design and operation of the facility to meet the needs of the project. Three studies were conducted: Residential Systems; Remote Applications; and Infrastructure.

The value of hydrogen energy systems is often linked to environmental improvements (greenhouse gas reductions, and CO, NO_x, and SO_x reductions, etc.) or other intangible benefits (job creation, energy independence, etc). Quantification of some of these benefits can be made using life cycle assessment (LCA) comparisons. In this activity, the scope of an LCA for hydrogen systems was defined, based on established (published) LCA methodologies. The measures considered include comparison of CO₂ and other gaseous emissions, and determination of net energy ratio (amount of energy produced per unit of fossil fuel input). Assessments of the Residential Systems and Remote Applications were completed. A number of studies covering aspects of the Infrastructure case were also completed.

Results from these studies were presented at several international meetings and published in both annual and technical reports.

Task 14: Photoelectrolytic Production of Hydrogen (July 1999 – present)

Photoelectrolysis of water is the process whereby light is used to directly split water into hydrogen and oxygen. This can be achieved by illuminating a wet semiconductor device either directly or via dye sensitization. Such systems eliminate the need for two separate systems regarding power generation and electrolysis, and hence offer great potential for cost reduction of electrolytically produced hydrogen compared with conventional two-step technologies. The direct production of hydrogen via water splitting by sunlight requires a light-harvesting device in conjunction with water-splitting catalysts. The necessary semiconductor-based light-sensitive device is similar to a PV solar cell, with or without dye sensitization.

Research and development (R&D) programs on photoelectrolysis of water are in place in IEA member countries such as the United States, Japan, Sweden, and Switzerland. But despite encouraging early scientific, technical, and economic results (for example, a 14% solar-to-hydrogen conversion efficiency and hydrogen production costs of approximately US\$ 3.00 per kilogram), the development of practical demonstration systems requires significant scientific and engineering efforts through a medium-term, well-structured R&D program.

The overall objective of this activity was to significantly advance the fundamental and applied science in the area of photoelectrolysis of water.

Specific target areas include:

- Practical System Efficiency
- Device Lifetime and Cost
- Semiconductor Materials and Structures
- Photosensitive Dyes
- Integrated PV/Electrolysis Systems
- Novel Single- and Dual-Bed Reactor Arrangements

[Andreas to insert major accomplishments.]

Task 15: Photobiological Production of Hydrogen (June 1999 – present)

Biological hydrogen production, the production of hydrogen by microorganisms, has been an active field of basic and applied research for many years. The governments of Japan and the United States, for example, support significant applied R&D programs. These and a number of other countries also support related basic research. Realization of practical processes for photobiological hydrogen production from water using solar energy would result in a major, novel source of sustainable and renewable energy, without greenhouse gas emissions or environmental pollution.

Collaborative research activities have been carried out on "biophotolysis" (the biological production of hydrogen from water and sunlight using microalgae photosynthesis). Specific research areas include:

- Light-driven Hydrogen Production by Microalgae
- Maximizing Photosynthetic Efficiencies
- Hydrogen Fermentations
- Improve Photobioreactor Systems for Hydrogen Production

Sustainable hydrogen production by microorganisms has been achieved. Additionally, improvements have been made to efficiencies. BioHydrogen 2002, co-sponsored Task 15 and EU COST 8.41 Biological and Biochemical Diversity of Hydrogen Metabolism, was held in Ede, the Netherlands April 21-24, 2002. About 150 scientists participated in this meeting. The scientific advancements made over the first three years of work under Task 15, the state of the art of biological hydrogen production, the current progress on early-stage applied science in this area, and promising research directions for the future were featured.

Task 16: Hydrogen from Carbon-Containing Materials (April 2002 – March 2005)

Approximately 95% of the hydrogen produced today comes from carbon-containing raw material, primarily fossil in origin. Most of the conventional processes convert the carbon to carbon dioxide, which is discharged to the atmosphere. The growing awareness of the impact of greenhouse gas emissions on global climate change has necessitated a reassessment of the conventional approach. Integrating carbon dioxide sequestration with conventional steam reforming will go a long way toward achieving "clean" hydrogen production from fossil fuels. Likewise, improving the robustness of pyrolytic cracking technologies for converting hydrocarbons to hydrogen and solid carbon should not only improve the process economics, but also its applicability to a variety of feeds. Furthermore, the thermal processing of biomass can yield an economic and carbon-neutral source of hydrogen. This effort is conducted with strong industry involvement and in collaboration with the IEA Greenhouse Gases and Bioenergy Agreements. The research and development areas include:

- Efficient Carbon Dioxide Separation and Sequestration
- Advanced Thermal Processing of Biomass
- Small-Scale, Distributed Systems for Hydrogen Production

Reports have been published on the state of the art of biomass to hydrogen technologies and on distributed technologies for hydrogen from natural gas. Technology options have been evaluated for the decarbonization of natural gas.

Task 17: Solid and Liquid State Hydrogen Storage Materials (June 2001 – present)

On-board hydrogen storage remains an undisputed challenge for hydrogen-fueled vehicles. Although recent progress in metal hydride batteries has been significant, little progress has been made in advancing the room-temperature hydrogen storage capacity of traditional hydrides. This is particularly true for PEM fuel-cell vehicle applications, where high gravimetric hydrogen storage density is required and where hydrogen must be liberated at temperatures compatible with the waste heat of the fuel-cell (<100°C). Alternatives to solid-state vehicular hydrogen storage exist, such as high-pressure gas, cryogenic liquids and on-board reforming of conventional liquid hydrocarbon fuels, but well-known disadvantages can be cited for each. Thus, the development of non-traditional hydrides and carbon materials (nanotubes, graphite fibers, etc) has received a great deal of attention and support.

Task 17 is a follow on to the very successful Task 12, Hydrogen Storage in Metal Hydrides and Carbon. Under Task 12, a material capable of 5 weight percent reversible hydrogen storage at 120°C was developed. Under Task 17 emphasis has been placed on fundamental material formulation and treatment techniques, understanding the mechanisms of hydrogen storage, reproducibility of results and on engineering aspects of using some of the more promising materials in a realistic on-board storage scenario. The specific targets of the task are to:

- Develop a reversible hydrogen storage medium with at least 5 wt.% H₂ recoverable at < 80°C and 1 atm absolute pressure.
- Develop the fundamental and engineering understanding of hydrogen storage by various hydrogen storage media that have the capability of meeting the above storage target.

Task 18: Evaluation of Integrated Systems (TBD – present)

Hydrogen energy systems have been proposed as a means to increase energy independence, improve domestic economies, and reduce greenhouse gas and other harmful emissions from stationary and mobile sources. Hydrogen is now a high priority around the world. Many Roadmaps are being developed and high-level groups are being formed in many countries. Demonstration systems are being implemented in all the participating countries. Commercial systems, however, face technical and economic barriers that must be overcome before hydrogen can become a competitive energy carrier for the 21st century.

Tools were developed and used, under previous Hydrogen Agreement Tasks, to design and optimize integrated hydrogen energy systems. In order to facilitate the comparison of different system configurations for a particular application, criteria were developed on which the comparison could be made, including efficiency, environmental impacts, economic impact, capital and operating costs, and other measures of importance to the analyst. In all cases, these parameters can be reduced to a comparison of costs, when an appropriate value is assigned to these criteria.

With these tools, it is now possible to evaluate existing and planned demonstration projects and to provide alternative configurations and operating conditions to optimize efficiency and cost. Non-proprietary information will be provided to participating countries and parties to improve future demonstration project designs and operation. The overall goal of Annex 18 is to provide information about hydrogen integration into society around the world. Two specific objectives are: 1) to provide data and analysis to the hydrogen community in the form of inventory databases or compiled summaries, and 2) to use modeling and analysis tools to evaluate

hydrogen demonstration projects, or to guide their design and assessment, and to validate models and assumptions.

The Task is addressing the growing need for a collection of information about issues related to the technology, policy, and regulation barriers to implementation of hydrogen energy systems and include, including:

- Lists of hydrogen component manufacturers and developers
- Listing of existing or potential infrastructure and hydrogen resources, optionally including maps and Geographic Information System (GIS) data layers
- Assessment / characterization of current hydrogen support programs (levels of investments, commitments, and activities in hydrogen) by country or region
- Review and/or summary of previous analyses, such as well-to-wheels studies
- Commercialization roadmaps by country for comparison of end-uses

The Task is also gathering data on hydrogen projects and exercising modeling and analysis capabilities to evaluate demonstration projects, and/or guide the design of them, in collaboration with industry.

ACHIEVEMENTS, BENEFITS AND ISSUES

Accomplishments Towards Objectives

Objectives/Actions	Accomplishments Towards Objectives
Promote acceptance of hydrogen as an energy carrier.	
<ul style="list-style-type: none"> • Conduct research and development activities to address important barriers to hydrogen's acceptance. • Foster and maintain a balanced portfolio of hydrogen technologies. • Develop safe, efficient, and cost-effective hydrogen storage systems. • Demonstrate integrated hydrogen systems. • Collect, disseminate, and analyze information on hydrogen technologies. • Develop direct hydrogen production technologies. 	<ul style="list-style-type: none"> • Collaborative Tasks were carried out on longer-term hydrogen production technologies to improve the efficiency and lower the cost of direct hydrogen production technologies. <ul style="list-style-type: none"> ➢ Solar-to-hydrogen conversion efficiencies have topped 16% with the gallium-based photoelectrochemical cells. ➢ Sustainable photobiological production of molecular hydrogen using the green alga <i>Chlamydomonas reinhardtii</i> has been demonstrated. • A collaborative task is underway to develop efficient, low-emission technologies for producing hydrogen from natural gas. <ul style="list-style-type: none"> ➢ Technology options have been evaluated for pre-combustion decarbonization of natural gas. ➢ A report was published on technologies for distributed hydrogen production from natural gas. • A metal hydride material has been developed that surpasses 5 weight % reversible hydrogen storage at 150°C. • Information on a number of international hydrogen demonstration projects has been collected and published. • Through the integrated systems modeling efforts, a number of conceptual hydrogen energy systems have been evaluated. <ul style="list-style-type: none"> ➢ Planning evaluation for Utsira Wind-Electrolysis Project.

Objectives/Actions	Accomplishments Towards Objectives
Contribute to global energy security.	
<ul style="list-style-type: none"> • Facilitate the transition from fossil fuel energy systems to sustainable hydrogen-based energy systems. • Provide resources for the conversion of intermittent and seasonal renewables to base-load, load-following or peak-load power supplies, and to transportation fuels. • Assist developing countries in evaluating sustainable, indigenous resources for hydrogen production. 	<ul style="list-style-type: none"> • A research effort was launched on converting carbon-containing resources (fossil and biomass) to hydrogen. Successful implementation of these nearer-term options will establish necessary infrastructure. • The modeling tools developed under the Agreement have been and can be used to design and optimize renewable hydrogen systems.
Promote deployment of hydrogen technologies with important local and global energy benefits.	
<ul style="list-style-type: none"> • Provide design support for hydrogen demonstrations. • Conduct cost-shared and task-shared deployment activities for hydrogen energy systems. • Act as an information resource for on-going and proposed hydrogen demonstration activities, including performance analyses. • Conduct case studies for hydrogen systems in developing countries. 	<ul style="list-style-type: none"> • The integrated system modeling tools have been used to design and optimize conceptual energy systems, including the Utsira wind-electrolysis project. <ul style="list-style-type: none"> ➢ Under the new Task 18, Evaluation of Integrated Systems, the tools will be used to evaluate existing demonstrations. • Twenty detailed case studies of existing/completed hydrogen demonstration projects have been completed. <ul style="list-style-type: none"> ➢ Lessons learned from these projects can be applied to future demonstrations.

Objectives/Actions	Accomplishments Towards Objectives
Exploit the environmental benefits of hydrogen.	
<ul style="list-style-type: none"> • Carry out research and development on renewable hydrogen production techniques. • Promote hydrogen as a "clean" fuel. • Perform life cycle assessments of hydrogen technologies and energy systems. • Conduct research and development on technologies that lead to the decarbonization of fossil fuels. 	<ul style="list-style-type: none"> • Collaborative research and development has been carried out on photobiological and photoelectrolytic water-splitting, and on biological and thermal routes to hydrogen. • Life cycle assessments were conducted on renewable (wind and biomass) and fossil-based systems (coal gasification and steam methane reforming). <ul style="list-style-type: none"> ➤ The results of these studies have been presented at international meetings. • A front-end engineering design is being developed for the precombustion decarbonization of natural gas under Task 16.
Develop cost-effective hydrogen energy systems that can compete in global markets.	
<ul style="list-style-type: none"> • Encourage industry participation to obtain market-oriented input for the prioritization of research, development and demonstration activities. • Develop and utilize analysis tools to evaluate and optimize hydrogen systems. • Increase involvement of industry in the Agreement's activities. • Foster clean system incentive policies. • Identify secondary benefits of hydrogen energy systems, such as demilitarization. 	<ul style="list-style-type: none"> • There has been significant industry involvement in several of the collaborative Tasks. • The modeling tools developed under the previous integrated systems Tasks are now being validated based on real-world demonstration projects.

Objectives/Actions	Accomplishments Towards Objectives
Identify and overcome barriers for hydrogen's penetration into the energy and fuel markets.	
<ul style="list-style-type: none"> • Contribute to the scientific and technical basis for approved codes and standards. • Promote hydrogen infrastructure for supply, maintenance and operation. • Pursue technologies that will lead to Increased market penetration for hydrogen. • Initiate safety-related educational and technology assessment activities. 	<ul style="list-style-type: none"> • The Case Studies of international hydrogen demonstration projects highlights safety and permitting. <ul style="list-style-type: none"> ➢ Reports published to the web to increase impact. ➢ Operational and maintenance issues also highlighted. • Task 13, Design and Optimization of Integrated Systems, included an assessment of various cases for hydrogen supply to a fueling station. <ul style="list-style-type: none"> ➢ Results presented at multiple international meetings. ➢ Included infrastructure costs, supply issues, and environmental impacts of various technologies.
Advertise the benefits of hydrogen.	
<ul style="list-style-type: none"> • Increase involvement of private and public organizations in the Hydrogen Program. • Utilize media tools to promote hydrogen education. • Establish collaborative research and development projects that promote international networks. • Collaborate with other IEA Agreements to increase the effectiveness of crosscutting research and development activities. • Increase cooperation to reach "critical mass" in research and development activities. 	<ul style="list-style-type: none"> • Presentations on the IEA Hydrogen Agreement and its activities were made at multiple international meetings, including the World Hydrogen Energy Conference, Hyforum, International Gas Conference and the World Energy Congress. • Web site redesigned to improve content and increase hits (from search engines). • Sponsored international meetings featuring the IEA efforts, including IEA Hydrogen Day at Hyforum and BioHydrogen 2002. • Task collaboration with other international networks: <ul style="list-style-type: none"> ➢ Task 14 with IEA SolarPACES Task 2, Solar Chemistry ➢ Task 15 with COST 8.41 Program ➢ Task 16 with IEA Greenhouse Gases and Bioenergy

SCALE OF ACTIVITIES AND MANAGEMENT

The national programs of the IEA Hydrogen Program Member Countries represent a diverse set of philosophies, policies, projects and budgets, brought together under the auspices of the IEA to accelerate hydrogen's acceptance and widespread utilization. These programs range from the hydrogen-dedicated North American and Japanese programs to those where hydrogen is but a player in various renewable and fossil programs. Budgets ranged from a few hundred thousand to forty million U.S. dollars (USD). Some large government programs were reduced and transitioned to industry while others have continually grown and become more focused on hydrogen technologies. The increase emphasis given to hydrogen technologies throughout the world has had significant impacts on these programs and on the representatives to the IEA Hydrogen Agreement.

The Agreement was managed through a part-time Secretary. With the increasing demands on the Agreement and increased opportunities for bringing in new members, the Agreement has decided to make the Secretariat a full-time position. The Agreement will pursue further expansion of this role, into a permanent office with multiple staff, if demands continue to increase and financial support is available from the Member Countries.

FUTURE STRATEGY

The Objectives and Actions outlined in the Agreement's Strategic Plan remain valid. Increased emphasis will be placed on public and private outreach and on coordination with those organizations that are leading codes and standards development efforts. Currently, there are a multitude of views on how the different energy technology solutions will develop - when the Hydrogen Economy will be realized, which technologies are important, the appropriate paths to follow, areas to emphasize, etc. These views are all strongly influenced by political and commercial goals, which vary throughout the world. The Agreement will seek to serve as a neutral organization, with focused activities that address common areas of concern and on longer-term, pre-competitive research. The Agreement will continue to seek additional Members and industry Sponsors.

Many advances have been made in the longer-term photoproduction area. However, this work is still at the early development stage. A variety of materials and organisms remain under investigation. System design is also an area that requires a great deal of effort. This area of research will remain a priority for collaborative task-shared efforts.

Hydrogen use in non-energy processes, such as the chemical, metallurgical, and ceramics industries was identified as an area where a concentrated research effort could facilitate the increased utilization of hydrogen. Annually, these industries account for nearly 50 percent of the world's 500 billion Nm³ hydrogen consumption. Process improvements and novel synthesis approaches could lead to overall efficiency improvements and reduced environmental impacts. Likewise, increased market share for hydrogen in these arenas should lead to expedited infrastructure development, a necessity for facilitating the advancement of the energy-related and renewable-based applications.

Hydrogen energy system demonstrations continue to be undertaken throughout the world. The experiences gained from these projects need to be compiled and made available to future demonstrators. Public response must be captured and considered when planning any hydrogen demonstration. System efficiency and cost optimization will also remain paramount issues for

developing competitive hydrogen-based systems. Thus, utilizing all available information and international expertise and continually refining and expanding modeling tools will be imperative.

Hydrogen and renewables have a unique synergy. The success of the hydrogen economy will facilitate the success of renewables. Through hydrogen, intermittent resources like wind and solar can make significant and sustainable contributions to both the transportation and utility markets. Likewise, the true benefits of the hydrogen economy, where hydrogen is a clean and sustainable energy carrier, can only be realized if hydrogen is produced from renewables. We cannot continue to think of renewables and hydrogen as separate areas of research. We must think of them as intertwined and consider multi-product scenarios for renewables, where they are used from combined electricity, heat, fuel and/or chemicals production. Integrated renewable/hydrogen systems must be developed and must take advantage of near term market opportunities where the hydrogen can be produced and used in early fuel cell vehicle demonstrations or as a commodity chemical in industrial applications. Identifying these early market opportunities will be important and will facilitate an increased share for renewables in the world market. Hydrogen must team with Renewables to employ a multi-product approach, much like that employed by the petroleum industry. A refinery produces not just gasoline for passenger vehicles; it produces a range of fuel grades, high-value chemicals, heat and power; renewables, with hydrogen and electricity as key products, must take a similar approach.

Example: Wind is currently one of the most cost-competitive renewable electricity production technologies, particularly in areas with strong wind resources. However, the intermittent nature of wind prevents significant penetration of wind into the power grid and also adds to the cost of construction. By producing hydrogen during times where the wind resources are high and demand is low, hydrogen can either be sold as a transportation fuel or used to base-load the wind power. For this approach to be successful though, costs of wind turbines and electrolyzers must be lowered. Careful integration of components must be done based on accurate resource estimates and demand profiles. Opportunities:

- Lower-cost, higher-efficiency electrolyzers
- Low-cost, high-purity water
- Shared power electronics
- Resource assessment
- Market assessment

In all of its activities, the Agreement will continue and expand its partnerships with other Implementing Agreements, networks and organizations to prioritize activities and to establish collaborations of mutual interest.

LIST OF PUBLICATIONS

Technical/Annual Reports [The following were prepared specifically for the IEA Hydrogen Agreement.]

Ogden, Joan M., "Review of Small Stationary Reformers for Hydrogen Production," 2001.

Milne, T.A.; Elam, C.C.; and Evans, R.J., "Biomass to Hydrogen: State of the Art and Research Challenges," 2001.

Sartoretti, C. Jorand, M. Ulmann, J. Augustynski and C.A. Linkous, "Photoproduction of Hydrogen in Non Oxygen-Evolving Systems," 2000.

"IEA Agreement on the Production and Utilization of Hydrogen, Task 12: Metal Hydrides and Carbon for Hydrogen Storage, Final Task Report," Gary Sandrock (ed), 2001.

E. Skolnik and V. Putsche, "Analysis Tools," 1999.

M. Bracht and E. de Groot, "Design Evaluation and System Comparison Guidelines," 1999.

T. Schucan, "Case Studies of Integrated Hydrogen Energy Systems," 1999.

"IEA Agreement on the Production and Utilization of Hydrogen: 1999 Annual Report," C. Elam (ed), 2000.

"IEA Agreement on the Production and Utilization of Hydrogen: 2000 Annual Report," C. Elam (ed), 2001.

"IEA Agreement on the Production and Utilization of Hydrogen: 2001 Annual Report," C. Elam (ed), 2002.

"IEA Agreement on the Production and Utilization of Hydrogen: 2002 Annual Report," C. Elam (ed), 2003.

Experts' Publications [In addition to the technical and annual reports listed above, experts regularly published the results of their IEA-related work in international journals.]

Abe, R., K. Hara, K. Sayama, K. Domen and H. Arakawa, "Steady hydrogen evolution from water on Eosin Y-fixed TiO₂ photocatalyst using a silane-coupling reagent under visible light irradiation," *J. of Photochemistry and Photobiology A: Chemistry*, Volume 137, Issue 1, 2000, pp. 63-69.

E. Akiba, H. Enoki, Y. Nakamura: "Crystal structural studies of AB₅-type, BCC and Zintl phase hydrogen absorbing alloys", *Materials Science and Engineering*, A329-331 (2002) 321-324.

Akkerman I, Janssen M, Rocha J, Wijffels RH. 2002. Photobiological hydrogen production: photochemical efficiency and bioreactor design. *International Journal of Hydrogen Energy* 27: 1195-1208.

E. Alain, Y.-F. Yin, T.J. Mays, B. McEnaney: "Molecular simulations and measurement of adsorption in porous carbon nanotubes", *Stud. Surf. Sci. Catal.*, 128 (2000) 313-322.

Asada Y, Koike Y, Schnackenberg J, Miyake M, Uemura I and Miyake J (2000) Heterologous expression of clostridial hydrogenase in the cyanobacterium *Synechococcus* PCC7942. *Biochimica et Biophysica Acta* 1490: 269-278.

Axelsson R, Lindblad P. 2002. Transcriptional Regulation of *Nostoc* Hydrogenases: Effects of Hydrogen, Oxygen and Nickel. *Applied and Environmental Microbiology* 68: 444-447.

Baeck; S.-H.; Jaramillo; T. F.; Stucky; G. D.; McFarland; E. W., "Synthesis of Tungsten Oxide on Copper Surfaces by Electroless Deposition," *Chemistry of Materials*, Sep2003, Vol. 15 Issue 18, p3411, 3p; (AN 10729923)

P.M. Barata-Rodríguez, G.D. Moggridge, T.J. Mays, N.A. Seaton: "Development of adsorbent carbons using inorganic templates", In *Fundamentals of Adsorption-7* (K. Kaneko, Ed.), IK International, Tokyo (2002) pp.215-222.

P.M. Barata-Rodríguez, T.J. Mays, N.A. Seaton, G.D. Moggridge: "Comparison of porous carbons developed via templating approaches", *Stud. Surf. Sci. Catal.* 144 (2002) 139-146.
B. Berthelme, T. Herrmannsdörfer, K. Yvon: "Structure data for K_2MgH_4 and Rb_2CaH_4 and comparison with hydride and fluoride analogs", *J. Alloys and Compounds*, 325 (2001) L13-L16.

B. Berthelme, P. Fischer, K. Yvon: "High pressure synthesis and crystal structures of new ternary magnesium hydrides, $CsMgH_3$, $Cs_4Mg_3H_{10}$ and Cs_2MgH_4 ", *J. Alloys and Compounds*, 330-332 (2002) 152-156.

H. Blomqvist, E. Rönnebro, D. Noréus, T. Kuji: "Competing stabilization mechanisms in Mg_2NiH_4 ", *J. Alloys and Compounds*, 330-332 (2002) 268-270.

H. Blomqvist, D. Noréus: "Mechanically reversible conductor-insulator transition in Mg_2NiH_4 ", *J. Appl. Phys.* 91 (2002) 5141-5148.

H. Blomqvist, E. Rönnebro, D. Kyoi, T. Sakai and D. Noréus "Structural characterization of Mg_3MnH_{-6} - a new high pressure phase synthesized in a multi anvil cell at 6 GPa", *J. Alloys and Compounds*.

B. Bogdanovic', G. Sandrock: "Catalyzed Complex Hydrides", *MRS Bulletin*, 27, No.9 (Sept. 2002) 712-716.

M. Bououdina, Z.X. Guo: "Comparative Study of Mechanical Alloying of (Mg+Al) and (Mg+Al+Ni) Mixtures for Hydrogen Storage": *J. Alloys and Comp.*, 336 (2002) 222-231.

M. Bououdina, Z.X. Guo: "Effects of TiH_2 on the Mechanical Alloying of (Ti+Al) Powder Mixtures", *J. Non-crystalline Solids*, 2002.

H. W. Brinks, B. C. Hauback, P. Norby, H. Fjellvåg: "The decomposition of $LiAlD_4$ studied by in-situ X-ray and neutron diffraction", *J. Alloys and Compounds* (2002).

H. W. Brinks, B. C. Hauback: "The structure of Li_3AlD_6 ", *J. Alloys and Compounds* (2002).

D.J. Browning, M.L. Gerrard, J.B. Lakeman, I.M. Mellor, R.J. Mortimer, M.C. Turpin: "The use of carbon nanofibres as hydrogen storage materials", Proc. 39th Power Sources conf., Cherry Hill, NJ, June 12-15, 2000, pp. 192-194.

D.J. Browning, M.L. Gerrard, J.B. Lakeman, I.M. Mellor, R.J. Mortimer, M.C. Turpin: "Investigation of the hydrogen storage capacities of carbon nanofibres prepared from an ethylene precursor", Hydrogen Energy Progress XIII, Proc. 13th World Hydrogen Energy Conference, Beijing, June 11-15, 2000.

D.J. Browning, M.L. Gerrard, J.B. Lakeman, I.M. Mellor, R.J. Mortimer, M.C. Turpin: "Studies into the storage of hydrogen in carbon nanofibres: proposal of a possible reaction mechanism", Nanoletters, **2** (2003) 201-205.

D.J. Bull and D.K. Ross: "Monte Carlo Simulation of Quasielastic Neutron Scattering from Localised and Long-Range Hydrogen Motion in Laves Phase Intermetallic Compounds", Proc Int. Conf on Quasielastic Neutron Scattering, Berlin 4-7 September 2002, to be published in J. Chemical Physics.

Calzaferri, G., D. Brühwiler, S. Glaus, D. Schürch and A. Currao, "Quantum-sized silver, silver chloride and silver sulfide clusters." *J. Imag. Sci. and Technology*, Vol. 45, 2001.

R. Cerny, J.-M. Joubert, H. Kohlmann and K. Yvon: "Mg₆Ir₂H₁₁, a New Metal Hydride Containing Saddle-like [IrH₄]⁵⁻ and Square-Pyramidal [IrH₅]⁴⁻ Hydrido Complexes", J. Alloys and Compounds, **340** (2002) 180-188.

D.M. Chen, T. Ichikawa, H. Fujii, N. Ogita, M. Udagawa, Y. Kitano, E. Tanabe: "Unusual hydrogen absorption properties in graphite mechanically milled under various hydrogen pressures up to 6 MPa", J. Alloys and Compounds.

Chenier I, Dube F and Hallenbeck PC (2000) Mutations permitting *fdhF* (Formate Dehydrogenase H) expression in a *selD* mutant of *Salmonella typhimurium*. *Current Microbiology* **41**: 39-44.

Claassen PAM, Budde MAW, van der Wal FJ, Kádár Zs, van Noorden GE, de Vrije T. 2002. Biological hydrogen production from biomass by thermophilic bacteria. In: Palz W, Spitzer J, Maniatis K, Kwant K, Helm P, Grassi A, editors. Proc 12th Eur Conf Technol Exhibition Biomass for Energy, Industry & Climate Protection, Amsterdam, p. 529-532.

D. DaCosta, M. Golben: "Disproportionation Resistant Alloy Development for Hydride Hydrogen Compression", Proceedings of the 2002 U.S. DOE Hydrogen and Fuel Cells Program Annual Program/Lab R&D Review, Golden, May 6-10, 2002, Report NREL/CP 610-32405.

D. DaCosta, M. Golben, D.C. Tragna: "Metal Hydride Thermal Hydrogen Compression", Proceedings 14th World Hydrogen Energy Conference, Montreal, June 9-13, 2002.

R.V. Denys, A.B. Riabov, V.A. Yartys, B.C. Hauback, H.W.Brinks: "In situ neutron diffraction study of LaNiInD_{1.63} with short D...D distances", International Symposium on Metal Hydrogen Systems (MH2002), Annecy, France, 1-6 September 2002, J. Alloys and Compounds.

De Vrije T, de Haas GG, Tan GB, Keijsers ERP, Claassen PAM. 2002. Pretreatment of *Miscanthus* for hydrogen production by *Thermotoga elfii*. International Journal of Hydrogen Energy 27: 1381-1390.

A.C. Dillon, K.E.H. Gilbert, T. Gennett, L. Grigorian, J.L. Alleman, K.M. Jones, P.A. Parilla, M.J. Heben: "Hydrogen Storage in Single-Wall Carbon Nanotubes", 14th Annual World Hydrogen Energy Conference, June 9-13, 2002, Montreal, QC, Canada.

A.C. Dillon, K.E.H. Gilbert, P.A. Parilla, J.L. Alleman, G.L. Hornyak, K.M. Jones, M.J. Heben: "Carbon Nanotubes for Hydrogen Storage", Proceedings of the 2002 U.S. Department of Energy Hydrogen Program Annual Review Meeting, Golden, May 6-8, 2002, NREL.

A.C. Dillon, P.A. Parilla, J.L. Alleman, T. Gennett, K.E.H. Gilbert, K.M. Jones, M.J. Heben: "Defect-activated Raman D-Band in Pure Bulk Carbon Single-Wall Nanotubes", submitted to Phys. Rev. B.

A.C. Dillon, A.H. Mahan, J.L. Alleman, M.J. Heben, P.A. Parilla, K.M. Jones: "Hot Wire Chemical Vapor Deposition of Carbon Nanotubes" Thin Sol. Films.

A.C. Dillon, K.E.H. Gilbert, P.A. Parilla, T. Gennett, J.L. Alleman, K.M. Jones, M.J. Heben: "Hydrogen Storage in Single-wall Carbon Nanotubes", International Workshop on Hydrogen in Materials and Vacuum Systems, Jefferson Lan, Newport News, VA, USA, Nov. 11-12, 2002.

C. Elam, C.E. Gregoire Padro, G. Sandrock, A. Luzzi, P. Lindblad, E.F. Hagen: "Realizing the Hydrogen Future: International Collaborations to Advance Hydrogen Energy Technologies", Proceedings 14th World Hydrogen Energy Conference, Montreal, June 9-13, 2002.

Elam, C. C.; Gregoire Padro, C. E.; Sandrock, G.; Luzzi, A.; Lindblad, P.; Fjermestad Hagen, E. (2003). Realizing the Hydrogen Future: The International Energy Agency's Efforts to Advance Hydrogen Energy Technologies. International Journal of Hydrogen Energy. Vol. 28, 2003; pp. 601-607; NREL Report No. JA-560-34419.

Elam, C. C.; Gregoire Padro, C. E. (2000). International Energy Agency Agreement on the Production and Utilization of Hydrogen. Proceedings of the 2001 U.S. DOE Hydrogen Program Review, 17-19 April 2001, Baltimore, Maryland. NREL/CP-610-30535. Golden, CO: National Renewable Energy Laboratory; pp. 870-878; NREL Report No. 32320.

Elam, C. C.; Gregoire-Padro, C. E.; Putsche, V.; Turner, J. A.; Heben, M. J.; Czernik, S. (2000). International Energy Agency Agreement on the Production and Utilization of Hydrogen. Proceedings of the 1999 U.S. DOE Hydrogen Program Review, 4-6 May 1999, Lakewood, Colorado. NREL/CP-570-26938. Golden, CO: National Renewable Energy Laboratory; Vol. II: pp. 897-903; NREL Report No. 32273.

Elam, C. International Energy Agency and Other International Collaborations. ; NREL Report No. CP-510-32419

Ch. Emmenegger, P. Mauron, A. Züttel, Ch. Nützenadel, A. Schneuwly, R. Gallay, L. Schlapbach, „Carbon Nanotubes Synthesized on Metallic Substrates“, Applied Surface Sciences 162-163 (2000), pp. 452-456.

Flynn T, ML Ghirardi, M Seibert. 2002. Accumulation of Multiple O₂-Tolerant Phenotypes in H₂-

Producing Strains of *Chlamydomonas reinhardtii* by Sequential Application of Chemical Mutagenesis and Selection. International Journal of Hydrogen Energy 27: 1421-1430.

H. Fujii, S. Munehiro, K. Fujii, S. Orimo: "Effect of mechanical grinding under Ar and H₂ atmospheres on structural and hydriding properties in LaNi₅", J. Alloys and Compounds, 330-332 (2002) 747-751.

H. Fujii, K. Higuchi, K. Yamamoto, H. Kajioka, S. Orimo, K. Toiyama: "Remarkable hydrogen storage, structural and optical properties in multi-layered pd/Mg thin films", Mater. Trans. 43 (2002) 2721-2727.

H. Fujii, S. Orimo: "Hydrogen storage properties in nano-structured magnesium- and carbon-related materials", Physica B.

T. Fukunaga, K. Itoh, S. Orimo, H. Fujii: "Structural observation of energy storage materials prepared by MA", Physica B, 311 (2002) 95-101.

T. Fukunaga, K. Itoh, S. Orimo, M. Aoki, H. Fujii: "Location of deuterium atoms absorbed in nanocrystalline graphite prepared by mechanical alloying", J. Alloys and Compounds, 327 (2001) 224-229.

P.A.Georgiev, J. Liu, D.K.Ross, K.H.Anderson, A.Otto: "An in situ neutron time of flight study of LaMM(NiCoAlMn)_{5-x} battery electrode material and its deuterides for x=0,0.2.", Journal of Alloys and Compounds.

Ghirardi ML, Zhang L, Lee JW, Flynn T, Seibert M, Greenbaum E and Melis A (2000) Microalgae: a green source of renewable H₂. Trends in Biotechnology 18: 506-511.

F. Gingl, T. Vogt, E. Akiba: "Trigonal SrAl₂H₂: the first Zintl phase hydride", J. Alloys and Compounds, 306 (2000) 127-132.

S. Gomes, H. Hagemann, K. Yvon: "Lithium Boro-Hydride LiBH₄: II. Raman Spectroscopy", J. Alloys and Compounds, 346 (2002) 206-210.

K.J. Gross, E. Majzoub, G.J. Thomas, G. Sandrock: "Hydride development for Hydrogen Storage", Proceedings 2001 U.S. Department of Energy Hydrogen Program Annual Review Meeting, Baltimore, April 17-19, 2001, Report NREL/CP 570-30535, pp. 508-523.

K.J. Gross, G.J. Thomas, C.M. Jensen: "Catalyzed alanates for hydrogen storage", J. Alloys and Compounds, 330-332 (2002) 683-690.

K.J. Gross, G. Sandrock, G.J. Thomas: "Dynamic in situ X-ray diffraction of catalyzed alanates". J. Alloys and Compounds, 330-332 (2002) 691-695.

L. Guénée: "Etude Cristalochimique des Composés Intermetalliques de Stoechiométrie AB₅ et de leurs Propriétés à Absorber l'Hydrogène", Thesis N° 3341, Université de Genève, (2002).

L. Guénée, V. Favre-Nicolin, K. Yvon: "Synthesis, Crystal Structure and Hydrogenation Properties of the Ternary Compounds LaNi₄Mg and NdNi₄Mg", J. Alloys and Compounds, 348 (2003) 129-137.

L. Guénée, K. Yvon: "Synthesis, Crystal Structure and Hydrogenation Properties of the Novel Metal Compound LaNi_2Mn_3 ", J. Alloys and Compounds, 348 (2003) 176-183.

L. Guénée, V. Favre-Nicolin, K. Yvon : "Synthesis, Crystal Structure and Hydrogenation Properties of the Ternary Compounds LaNi_4Mg and NdNi_4Mg ", J. Alloys and Compounds (2003).

Z.X. Guo, M. Bououdina, Y. Song, C. Shang: "Mechanical Alloying and Electronic Simulation of Mg-Based Hydrogen Absorbing Materials", in Advanced Materials and Processing, eds. S. Hanada, Z. Zhong, S.W. Nam and R.N. Wright, JIM, 2001, pp.2917-2920.

Z.X. Guo, M. Bououdina, Y. Song, C. Shang: "Mechanical Alloying and Electronic Simulation of Mg-Based Hydrogen Absorbing Materials", in Advanced Materials and Processing, eds. S. Hanada, Z. Zhong, S.W. Nam and R.N. Wright, JIM, 2001, pp.2917-2920.

Hallenbeck PC, JR Benemann 2002. Biological hydrogen production; fundamentals and limiting processes. International Journal of Hydrogen Energy 27: 1185-1193.

Hallenbeck, P.C. and Viger, J.-F. 2000. Biocatalysis and Bacterial Cells; Problems and Prospects for Biohydrogen. Proceedings 10th Canadian Hydrogen Conference. Pages: 173-182. Editors: Bose, T.K and Benard, P. ISBN 0-9696869-5-1.

Hallenbeck, P.C. 2001. Integration of hydrogen evolving systems with cellular metabolism: the molecular biology and biochemistry of electron transport factors and associated reductases. In: Biohydrogen II, An approach to environmentally acceptable technology. Pages 171-184. Editors: Miyake, J., Matsunaga, T. and San Pietro, A. Pergamon/Elsevier, Oxford, UK. ISBN 0-08-043947-0

Hallenbeck, Patrick C. 2001. Biohydrogen Production through Fermentation: Future Prospects and Studies with a Model System. Proceedings of the 11th Canadian Hydrogen Conference, 406-412

S.-C. Han, P.S. Lee, J.-Y. Lee, A. Züttel, L. Schlapbach: "Effects of Ti on the cycle life of amorphous MgNi -based alloy prepared by ball milling", Journal of Alloys and Compounds 306 (2000), 219-226.

N. Hanada, S. Orimo. H. Fujii: "Hydriding properties of ordered-/disordered Mg-based ternary Laves phase structures", J. Alloys and Compounds, to be published.

Hansel, A., Axelsson, R., Lindberg, P., Troshina, O., Wünschiers, R. and Lindblad, P. 2001. Cloning and characterization of a *hyp* gene cluster in the filamentous cyanobacterium *Nostoc* sp. strain PCC 73102. FEMS Microbiology Letters 201: 59-64

B. C. Hauback, H. W. Brinks, C. M. Jensen, K. Murphy, A. J. Maeland: "Neutron diffraction structure determination of NaAlD_4 ", J. Alloys and Compounds (2002), submitted. (see also Project HC-3)

B.C. Hauback, H.W. Brinks, H. Fjellvåg,: "Accurate structure of LiAlD_4 studied by combined powder neutron and X-ray diffraction", J. Alloys and Compounds, 346 (2002) 184..

B. C. Hauback, H. W. Brinks, C. M. Jensen, K. Murphy, A. J. Maeland: "Neutron diffraction structure determination of NaAlD₄", J. Alloys and Compounds (2002).

U. Haussermann, H. Blomqvist, D. Noréus: "Bonding and stability of the hydrogen storage material Mg₂NiH₄", Inorg. Chem. 41 (2002) 3684-3692.

K. Higuchi, K. Yamamoto, H. Kajioka, M. Honda, S. Orimo, H. Fujii: "Remarkable hydrogen storage properties in three-layered Pd/Mg/Pd thin films", J. Alloys and Compounds, 330-332 (2002) 526-530.

Hoekema S, Bijmans M, Janssen M, Tramper J, Wijffels RH. 2002. A pneumatically agitated flat-panel photobioreactor with gas re-circulation: anaerobic photoheterotrophic cultivation of a purple non-sulfur bacterium. International Journal of Hydrogen Energy 27: 1331-1338.

G. L. Hornyak, L. Grigorian, A. C. Dillon, P. A. Parilla, K. M. Jones, M. J. Heben: "A Temperature Window for Chemical Vapor Decomposition Growth of Single-Wall Carbon Nanotubes" J. Phys. Chem. B, 106 (2002), 2821-2825.

G. L. Hornyak, L. Grigorian, A.C. Dillon, P.A. Parilla, K.M. Jones, M. J. Heben: "A Temperature Window for CVD Growth of Single-wall Carbon Nanotubes," J. Phys. Chem. B, 106 (2002) 2821.

J. Huot, J.F. Pelletier, G. Liang, M. Sutton, R. Schulz: "Structure of nanocomposite metal hydrides", J. Alloys and Compounds, 330-332 (2002) 727-731.

M.A. Imam, R.O. Loutfy: "Hydrogen Absorption Capacity of Different Types of Carbon Nanotube", Proceedings of NANOTUBE 2001, IInd International Workshop on the Science and Application of Nanotubes, July 2001, Potsdam, Germany.

M.A. Imam, N.E. Tran, S.J. Gill, J.R. Feng: "Evaluation of Hydrogen Storage Characteristics of Misch Metal Based Alloys, Proceedings of PRICM IV, Dec 2001, pp.2913-2916.

C.M. Jensen, K.J. Gross: "Development of catalytically enhanced sodium aluminum hydride as a hydrogen storage material", Appl. Phys. A, 72 (2001) 213-219.

C.M. Jensen, D. Sun, B. Lewandowski, K.K. Kumashiro, W.P. Niemczura, D. Morales-Morales, Z. Wang: "Catalytically Enhanced Hydrogen Storage Systems", Proceedings 2001 U.S. Department of Energy Hydrogen Program Annual Review Meeting, Baltimore, April 17-19, 2001, Report NREL/CP 570-30535, pp. 500-508.

C.M. Jensen, D. Sun, S.S. Raman, K. Murphy, W.P. Niemczura, K.K. Kumashiro, M. Eberhard, Z. Wang, X-Q. Gu: "Catalytically Enhanced Hydrogen Storage Systems", Proceedings of the 2002 U.S. DOE Hydrogen and Fuel Cells Program Annual Program/Lab R&D Review, Golden, May 6-10, 2002, Report NREL/CP 610-32405.

Kaselev O. and Turner J. [1998]: "A monolithic photovoltaic-photoelectrochemical device for hydrogen production via water splitting." *Science*, Vol. 280, pp. 425-427.

Kebede Z., Lindgren T. and Lindquist S. [2002]: "Photoelectrochemical water splitting by spray-pyrolytically prepared Fe₂O₃(Ni) thin film electrodes.", *Sol. Energy Mat. & Sol. Cells*.

Khaselev, O., A. Bansal and J. Turner, "High-efficiency integrated multi-junction photovoltaic / electrolysis systems for hydrogen production." *Int. J. of Hydrogen Energy*, 2000.

Y. Kitano, K. Yamada, T. Matsushima, S. Orimo, H. Fujii, H.: "Electron microscopy and hydriding properties of MgYNi₄ synthesized by mechanical alloying", *J. Alloys and Compounds*, 330-332 (2002) 292-295.

H. Kohlmann, H.E. Fischer, K. Yvon: "Europium Palladium Hydrides", *Inorganic Chem.*, 40 (2001) 2608-2613.

H. Kohlmann, B. Bertheville, P. Fischer, K. Yvon: "High pressure synthesis of novel europium magnesium hydrides", *J. Alloys and Compounds*, 322 (2001) 59-68.

Kosourov S, AA Tsygankov, M Seibert, M L Ghirardi. 2002. Sustained Hydrogen Photoproduction by *Chlamydomonas reinhardtii*--Effects of Culture Parameters. *Biotechnology and Bioengineering* 78: 731-740.

Kovács KL, Fodor B, Kovács ÁT, Csanadi G, Maróti G, Balogh J, Arvani S, Rákhely G. 2002. Hydrogenases, accessory genes and the regulation of [NiFe] hydrogenase biosynthesis in *Thiocapsa roseopersicina*. *International Journal of Hydrogen Energy* 27: 1463-1469.

Laurinavichene TV, IV Tolstygina, RR Galiulina, ML Ghirardi, M Seibert, AA Tsygankov. 2002. Different methods to deprive *Chlamydomonas reinhardtii* cultures of sulfur for subsequent hydrogen photoproduction. *International Journal of Hydrogen Energy* 27: 1245-1249.

Lee, JW, E Greenbaum. 2002. A new oxygen sensitivity and its potential application in photosynthetic H₂ production. *Applied Biochemistry and Biotechnology*.

Lee, JW, L Mets, E Greenbaum. 2002. Improvement of photosynthetic efficiency at high light intensity through reduction of chlorophyll antenna size. *Applied Biochemistry and Biotechnology* 98: 37-48.

Lindberg P, Schütz K, Happe T, Lindblad P. 2002. A hydrogen-producing, hydrogenase-free mutant strain of *Nostoc punctiforme* ATCC 29133. *International Journal of Hydrogen Energy* 27: 1291-1296.

Lindberg P, Hanse A, Lindblad P (2000) *hupS* and *hupL* constitute a transcription unit in the cyanobacterium *Nostoc* sp. PCC 73102. *Archives of Microbiology* 174: 129-133.

Lindblad, P., Asada, Y., Benemann, J., Hallenbeck, P., Melis, A., Miyake, J., Seibert, M. and Skulberg, O. 2000. IEA Hydrogen Agreement, Task 15: *Photobiological Hydrogen Production - An International Collaboration*. Proceedings 10th Canadian Hydrogen Conference. Pages: 731-733. Editors: Bose, T.K and Benard, P. ISBN 0-9696869-5-1.

Lindblad, P., Asada, Y., Benemann, J., Hallenbeck, P., Melis, A., Miyake, J., Seibert, M. and Skulberg, O. 2000. IEA Hydrogen Agreement, Task 15: *Photobiological Hydrogen Production - An International Collaboration*. *Hydrogen Energy Progress XIII*. Volume 1: 56-59. Editors: Mao, Z.Q. and Veziroglu, T.N.

Lindblad, P. Tamagnini, P. 2000. Cyanobacterial Hydrogenases and Biohydrogen: Present Status and Future Potential. Proceedings 10th Canadian Hydrogen Conference. Pages: 166-172. Editors: Bose, T.K and Benard, P. ISBN 0-9696869-5-1.

Lindblad, P. and Tamagnini, P. 2000. Cyanobacterial Hydrogenases and Biohydrogen: Present Status and Future Potential. Hydrogen Energy Progress XIII. Volume 1: 382-389. Editors: Mao, Z.Q. and Veziroglu, T.N.

Lindblad, P., Asada, Y., Benemann, J., Hallenbeck, P., Melis, A., Miyake, J., Seibert, M. and Skulberg, O. 2000. IEA Hydrogen Agreement, Task 15: *Photobiological Hydrogen Production - An International Collaboration*. Hydrogen Energy Progress XIII. Volume 1: 56-59. Editors: Mao, Z.Q. and Veziroglu, T.N.

Lindblad, P., Asada, Y., Benemann, J., Hallenbeck, P., Melis, A., Miyake, J., Seibert, M. and Skulberg, O. 2000. IEA Hydrogen Agreement, Task 15: *Photobiological Hydrogen Production - An International Collaboration*. Proceedings 10th Canadian Hydrogen Conference. Pages: 731-733. Editors: Bose, T.K and Benard, P. ISBN 0-9696869-5-1.

Lindblad, P. and Tamagnini, P. 2001. Cyanobacterial Hydrogenases and Biohydrogen: Present Status and Future Potential. In: Biohydrogen II, An approach to environmentally acceptable technology. Pages 143-169. Editors: Miyake, J., Matsunaga, T. and San Pietro, A. Pergamon/Elsevier, Oxford, UK. ISBN 0-08-043947-0

Lindblad P, Christensson K, Lindberg P, Pinto F, Tsygankov A. 2002. Photoproduction of H₂ by wildtype *Anabaena* PCC 7120 and a hydrogen uptake deficient mutant: from laboratory experiments to outdoor culture. International Journal of Hydrogen Energy 27: 1271-1281.

Lindgren T., Wang H., Beermann N., Vayssieres L., Hagfeldt A. and Lindquist S. [2001]: "Photo oxidation of water on hematite nanorod thin films." *Solar Energy Materials & Solar Cells*.

Lindgren, T., H. Wang, N. Beermann, L. Vayssieres, A. Hagfeldt and S. Lindquist, "Photo oxidation of water on hematite nanorod thin films." *Solar Energy Materials and Solar Cells*.

Lindgren T., Mwabora J., Avendaño E., Jonsson J., Hoel A., Granqvist C. and Lindquist S. [2002]: "Photoelectrochemical and optical properties of nitrogen doped titanium dioxide films prepared by reactive DC magnetron sputtering." *J. Phys. Chem. B*.

Lindström, H., A. Holmberg, E. Magnusson, S. Lindquist, L. Malmqvist and A. Hagfeldt, "A new method for manufacturing nanostructured electrodes on plastic substrates". *Nanolett*, Vol. 1, 2001, pp. 97-100.

A. H. Mahan, J.L. Alleman, M.J. Heben, P.A. Parilla, K.M. Jones, A.C. Dillon: "Hot Wire Production of Isolated Carbon Single-wall Nanotubes", *Appl. Phys. Lett.*, 81 (2002) 4061-4063.

G. Majer, E. Stanik, S. Orimo: "NMR studies of hydrogen motion in nanostructured hydrogen-graphite systems, *J. Alloys and Compounds*, to be published.

G. Majer, U. Eberle, F. Kimmerle, E. Stanik, S. Orimo: "Hydrogen diffusion in metallic and nanostructured materials", *Physica B*.

Maness PC, PF Weaver. 2002. Hydrogen production from a carbon-monoxide oxidation pathway in *Rubrivivax gelatinosus*. *International Journal of Hydrogen Energy* 27: 1407-1411.

Maness PC, S Smolinski, AC Dillon, MJ Heben, PF Weaver. 2002. Characterization of the oxygen tolerance of a hydrogenase linked to a carbon monoxide oxidation pathway in *Rubrivivax gelatinosus*. *Applied and Environmental Microbiology* 68: 2633-2636.

Masuda T, Polle JEW, Melis A. 2002. Biosynthesis and distribution of chlorophyll among the photosystems during recovery of the green alga *Dunaliella salina* from irradiance stress. *Plant Physiology* 128: 603-614.

P. Mauron, Ch. Emmenegger, A. Züttel, Ch. Nützenadel, P. Sudan, L. Schlapbach, "Synthesis of Oriented Nanotube Films by Chemical Vapor Deposition", *Carbon* 8 (2002) 1339-1344.

T.J. Mays, E. Alain, Y.-F. Yin: "Adsorption and structure in carbon nanotubes", In *Fundamentals of Adsorption-7*, (K. Kaneko, Ed.), IK International, Tokyo (2002) pp.893-990.

B. McEnaney, E Alain, Y.-F. Yin, T.J. Mays: "Porous carbons for gas storage and separation", In *Design and Control of Structure of Advanced Carbon Materials for Enhanced Performance* (B. Rand, S.P. Appleyard, M.F. Yardim, Eds.), Kluwer, Dordrecht (2001) pp.295-318.

McFarland E., Baeck S., Brandli C., Ivanovskaya A. and Jaramillo T. [2001]: "Combinatorial methods for discovery of new photocatalytic materials for hydrogen synthesis." In *Proceedings of 11th Canadian Hydrogen Association Conference*, June.

Melis A, Zhang L, Forestier M, Ghirardi ML and Seibert M (2000) Sustained photobiological hydrogen gas production upon reversible inactivation of oxygen evolution in the green alga *Chlamydomonas reinhardtii*. *Plant Physiology* 122: 127-136.

Miyake, M. J. Schnackenberg, C. Nakamura, Y. Asada, J. Miyake. 2001. Molecular Handling of Hydrogenase. In: *Biohydrogen II, An approach to environmentally acceptable technology*. Pages 205-222. Editors: Miyake, J., Matsunaga, T. and San Pietro, A. Pergamon/Elsevier, Oxford, UK. ISBN 0-08-043947-0

Miller E., Rocheleau R. and Deng X. [2002]: "Design considerations for a hybrid amorphous silicon / photoelectrochemical multijunction cell for hydrogen production, *International Journal of Hydrogen Energy*.

Miller E. and Rocheleau R. [2002]: "Photoelectrochemical production of hydrogen". *Proceedings of the 2002 U.S. DOE Hydrogen Program Review*, NREL/CP-610-32405.

Y. Nakamori, S. Orimo, T. Ekino, H. Fujii: "Synthesis of the binary intermetallic superconductor MgB₂ under hydrogen pressure", *J. Alloys and Compounds* 335 (2002) L21-L24.

Nazeeruddin, M., P. Péchy, T. Renouard, S. Zakeeruddin, R. Humphry-Baker, P. Comte, P. Liska, L. Cevey, E. Costa, V. Shklover, L. Spiccia, G. Deacon, C. Bignozzi, and M. Grätzel, "Engineering of efficient panchromatic sensitizers for nanocrystalline TiO₂ based solar cells." *J. Am. Chem. Soc.*, Vol. 123, 2000, pp. 1613-1624.

Nusbaumer H., Moser J., Zakeeruddin S., Nazeeruddin M. and Grätzel M. [2001]: "Co^{II}(dbbip)₂²⁺ complex rivals tri-iodide/iodide redox mediator in dye-sensitized photovoltaic cells." *J. Phys. Chem. B*, Vol. 105, pp. 10461-10464.

M. Olofsson-Mårtensson, M. Kritikos, D. Noréus: "A Novel Tetrahedral Formally Zerovalent-Palladium Hydrido Complex Stabilized by Divalent Alkaline Earth Counterions", *J. Am. Chem. Soc.*, 121 (1999) 10908-10912.

M. Olofsson-Mårtensson, U. Häussermann, J. Tomkinson, D. Noréus: "Stabilization of Electron-Dense Palladium-Hydrido Complexes in Solid State Hydrides", *J. Am. Chem. Soc.*, 122 (2000) 6960-6970.

S. Orimo, A. Züttel, L. Schlapbach, G. Majer, T. Fukunaga, H. Fujii: "Hydrogen interaction with carbon nanostructures - current situation and future prospects", *J. Alloys and Compounds*, to be published.

S. Orimo, F. Kimmerle, G. Majer: "Hydrogen in nanostructured vanadium-hydrogen systems", *Physical Review B*, 63 (2001) 094307 (10 pages).

S. Orimo, H. Fujii: "Materials science of Mg-Ni-based new hydrides", *Applied Physics A*, 72, (2001) 167-186.

S. Orimo, T. Matsushima, H. Fujii, T. Fukunaga, G. Majer: "Hydrogen desorption property of the mechanically prepared nanostructured graphite", *J. Appl. Phys.*, 90 (2001) 1545-1549.

S. Orimo, T. Matsushima, P. Wang, J. Gottwald, H. Fujii: "Nanostructured Carbon-related Materials for Hydrogen Storage", *Proceedings 14th World Hydrogen Energy Conference*, Montreal, June 9-13, 2002.

Pauchard, M., A. Devaux and G. Calzaferri, "Dye-loaded zeolite-L sandwiches as artificial antenna systems for light transport." *Chem. Eur. J.*, Vol. 6/18, 2000, pp 3456-3470.

J.F. Pelletier, J. Huot, M. Sutton, R. Schulz, A.R. Sandy, L.B. Lurio, G.J. Mochrie: *Phys. Rev. B*, 63 (2001) 52103.

Pinto F, Troshina O, Lindblad P. 2002. A brief look at three decades of hydrogen evolution by cyanobacteria. *International Journal of Hydrogen Energy* 27: 1209-1215.

E.Poirier, R.Chahine, A. Tessier, T.K. Bose: "Precise sorption measurement systems with in situ conditioning", 14th World Hydrogen Energy Conference, June 9-13, 2002, Montreal, QC, Canada.

Polle JEW, Benemann JR, Tanaka A and Melis A (2000) Photosynthetic apparatus organization and function in wild type and a Chl *b*-less mutant of *Chlamydomonas reinhardtii*. Dependence on carbon source. *Planta* 211: 335-344.

Polle JEW, Kanakagiri S, Benemann JR and Melis A (2001) Maximizing photosynthetic efficiencies and hydrogen production in microalga cultures. In, *BioHydrogen II* (J Miyake, T Matsunaga and A San Pietro, eds), Pergamon/Elsevier Science, Kidlington, Oxford, U.K., pp. 111-130

Polle JEW, Niyogi KK and Melis A (2001) Absence of lutein, violaxanthin and neoxanthin affects the functional chlorophyll antenna size of photosystem-II but not that of photosystem-I in the green alga *Chlamydomonas reinhardtii*. *Plant Cell Physiol.* 42: 482-491

Qian D-J, Wenk S, Nakamura C, Wakayama T, Zorin N, Miyake J. 2002. Photoinduced hydrogen evolution by use of porphirin, EDTA, viologens and hydrogenase in solutions and Langmuir-Blodgett films. *International Journal of Hydrogen Energy* 27: 1481-1487.

G. Renaudin, L. Guénée, K. Yvon : "LaMg₂NiH₇, a Novel Quaternary Metal Hydride Containing Tetrahedral [NiH₄]⁴⁻ Complexes and Hydride Anions". *J. Alloys and Compounds* (2003).

Rocha, J.S., M.J. Barbosa, R.H. Wijffels. 2001. Hydrogen production by photosynthetic bacteria: culture media, yield and efficiencies. In: *Biohydrogen II, An approach to environmentally acceptable technology*. Pages 3-32. Editors: Miyake, J., Matsunaga, T. and San Pietro, A. Pergamon/Elsevier, Oxford, UK. ISBN 0-08-043947-0

Rocheleau R., Miller E. and Misra A. [1998]: "High-efficiency photoelectrochemical hydrogen production using multijunction amorphous silicon photoelectrodes." *Energy and Fuels*, Vol. 12, pp. 3-10.

G. Sandrock, K. Gross, G. Thomas, C. Jensen, D. Meeker, S. Takara: "Engineering considerations in the use of catalyzed sodium alanates for hydrogen storage", *J. Alloys and Compounds*, 330-332 (2002) 696-701.

G. Sandrock. G. Thomas: "The IEA/DOE/SNL on-line hydride databases", *Appl. Phys. A*, 72 (2001) 153-155.

G. Sandrock: "Problems and Progress with Rechargeable Metal Hydrides", *Fuel Cell Catalyst*, 2 (No.2, Winter 2002) 3.

G. Sandrock: "Hydride Storage", *Handbook of Fuel Cell Technology*, W. Vielstich, A. Lamm and H. Gasteiger, Eds., Volume 3 (*Fuel Cell Technology and Applications*), Chapter 2.1.3, John Wiley & Sons, (March, 2003).

San Pietro, A., J.R. Benemann. 2001. Biohydrogen: an opportunity for international cooperation. In: *Biohydrogen II, An approach to environmentally acceptable technology*. Pages 93-102. Editors: Miyake, J., Matsunaga, T. and San Pietro, A. Pergamon/Elsevier, Oxford, UK. ISBN 0-08-043947-0

Santato, C., M. Ulmann and J. Augustynski, " Photoelectrochemical properties of nanostructured Tungsten trioxide films." *J. Phys. Chem. B*, Vol. 105, 2000, pp. 936-940.

Santato C., Odziemkowski M., Ulmann M. and Augustynski J. [2001]: "Crystallographically oriented mesoporous WO₃ films: Synthesis, characterization and applications." *J. Am. Chem. Soc.*, Vol. 123, pp. 10639-10649.

Santato C., Ulmann M. and Augustynski J. [2001]: "Photoelectrochemical properties of nanostructured tungsten trioxide films." *J. Phys. Chem. B*, Vol. 105, pp. 936-940.

T. Sato, H. Blomqvist, D. Noréus: "Attempts to improve Mg₂Ni hydrogen storage by aluminium addition", *J. Alloys and Compounds*.

Sayama K., Mukasab K., Abea R., Abeb Y. and Arakawa H. [2002]: "A new photocatalytic water splitting system under visible light irradiation mimicking a Z-scheme mechanism in photosynthesis." *J. of Photochemistry and Photobiology A: Chemistry*, Vol. 148, pp. 71–77.

L. Schlapbach, A. Züttel, Ch. Nützenadel, P. Gröning, O. Gröning: "Das Potenzial neuer Materialien in der Energietechnik; Beispiele im Bereich Wasserstoff-Kohlenstoff-Metalle", Energiepolitik zwischen Nachhaltigkeit und Liberalisierung, G. Schneider, Herausgeber, Verlag Rüegger (2000) ISBN 3-7253-0689-3.

L. Schlapbach, A. Züttel: "Hydrogen storage materials for mobile applications", *Nature*, 414 (15 Nov. 2001) 353-358.

L. Schlapbach, A. Züttel, P. Groning, O. Groning, P. Aebi: "Hydrogen for novel materials and devices", *Appl. Phys. A*, 72 (2001) 245-253.

Schürch D., Currao A., Sarkar S., Hodes G. and Calzaferri G. [2002]: "The silver chloride photoanode in photoelectrochemical water splitting." *J. Phys. Chem. B*, Vol. 106, pp. 12764-12775.

Sebastian, J., N. Mathews, X. Mathew, M. Pattabi and J. Turner, "Photoelectrochemical characterization of SiC." *Int. J. of Hydrogen Energy*, Vol. 26, 2001, pp. 123-125.

Sebastian J., Mathews N., Mathew X., Pttabi M. and Turner J. [2001]: "Photoelectrochemical characterization of SiC." *Int. J. of Hydrogen Energy*, Vol. 26, pp. 123-125.

Seibert, M., T. Flynn, M.L. Ghirardi. 2001. Strategies for improving oxygen tolerance of algal hydrogen production. In: *Biohydrogen II, An approach to environmentally acceptable technology*. Pages 67-80. Editors: Miyake, J., Matsunaga, T. and San Pietro, A. Pergamon/Elsevier, Oxford, UK. ISBN 0-08-043947-0

Serebryakova LT, Sheremetieva ME and Lindblad P (2000) H₂-uptake and evolution in the unicellular cyanobacterium *Chroococcidiopsis thermalis* CALU 758. *Plant Physiology and Biochemistry* 38: 525-530.

C. X. Shang, M. Bououdina, Z.X. Guo: "Structural stability of mechanically alloyed (Mg + 10Nb) and (MgH₂+10Nb) powder mixtures", *J. Alloys and Compounds*, 2002.

Sheremetieva ME, Troshina OT, Serebryakova LT, Lindblad, P. 2002. Identification of *hox* genes and analysis of their transcription in the unicellular cyanobacterium *Gloeocapsa alpicola* CALU 743 growing under nitrate-limiting conditions. *FEMS Microbiology Letters* 214: 229-233.

B. Simard, et al.: "Aspects of Hydrogen Storage in Nanostructured Carbon in Canada", 14th World Hydrogen Energy Conference, June 9-13, 2002, Montreal, QC, Canada.

Slattery, D., C. Linkous, N. Gruhn and J. Baum, "Semi-empirical MO and voltammetric estimation of ionization potentials of organic pigments. Comparison to gas-phase ultraviolet photoelectron spectroscopy,." *J. Dyes and Pigments*, 2001.

Slattery D., Linkous C., Gruhn N. and Baum J. [2001]: "Semi-empirical MO and voltammetric estimation of ionization potentials of organic pigments. Comparison to gas-phase ultraviolet photoelectron spectroscopy,." *J. Dyes and Pigments*.

J-Ph. Soulié, G. Renaudin, R. Cerny, K. Yvon: "Lithium Boro-Hydride LiBH_4 : I. Crystal Structure", *J. Alloys and Compounds*, 346 (2002) 200-205.

Spath, Pamela L. and Margaret K. Mann, "A Complete Look at the Overall Environmental Impacts of Hydrogen Production," HYFORUM 2000, The International Hydrogen Energy Forum 2000, September 11-15, 2000, Munich, Germany.

Spath, Pamela L and Margaret K. Mann, "Life Cycle Assessment of Hydrogen Production via Natural Gas Steam Reforming," National Renewable Energy Laboratory, Golden, CO, TP-570-27637.

M. Stange, V.A. Yartys, J.P. Mæhlen, M. Hanfland: "High pressuree synchrotron XRD study of the pressure induced structural changes in $\text{LaNiInD}_{1.3}$ ", International Symposium on Metal Hydrogen Systems (MH2002), Annecy, France, 1-6 September 2002, *J. Alloys and Compounds*.

S. Suda, Y. -M. Sun, M. Uchida, B. -H. Liu, S. Morimitsu, K. Arai, Y. Zhou, N. Tsukamoto, Y. Candra, Z. -P. Li: "Fluorinated Metal Hydrides for the Catalytic Hydrolysis of Metal-Hydrogen Complexes", *Metals and Materials International*, 7(1) (2001), pp. 73-75.

S. Suda, Y. -M. Sun, B. -H. Liu, Y. Zhou, S. Morimitsu, K. Arai, N. Tsukamoto, M. Uchida, Y. Candra, Z. -P. Li, "Catalytic Generation of Hydrogen by Applying Fluorinated-Metal Hydrides as Catalysts", *J. Applied Physics A*, 72 (2001) 209-212

S. Suda: "Micro-Fuel Cells", *MATERIAL STAGE*, 1(7) (2001), 14-17.

S. Suda: "Development of a compact fuel cell", *Fuel Cells (Information Center for the Development of Fuel Cells)*, 1 (2), (October 2001), 39-41.

S. Suda: "Liquid-hydride fuel for PEMFC", *Fuel Cells (Information Center for the Development of Fuel Cells)*, 1(4) (April 2002), 23-26.

S. Suda: "Hydrogen supply by using sodium borohydride as the hydrogen storage material", *METALS (AGUNE Technology Center)*, 72(5) (2002), 33-40.

S. Suda, "Chemical Hydride Storage Devices: Aqueous Borohydride Solutions", *Handbook of Fuel Cell Technology*, W. Vielstich, A. Lamm and H. Gasteiger, Eds., Volume 3 (Fuel Cell Technology and Applications), Chapter 2.2.1, John Wiley & Sons, (March, 2003).

D. Sun, T. Kiyobayashi, H.T. Takeshita, N. Kuriyama, C.M. Jensen: "X-ray diffraction studies of titanium and zirconium doped NaAlH_4 : euclidation of doping induced structural changes and their relationship to enhanced hydrogen storage properties", *J. Alloys and Compounds*, 337 (2002) L8-L11.

H.T. Takeshita, T. Oishi, N. Kuriyama: "Disproportionation of CaNi_3 hydride: formation of a new hydride, CaNiH_3 ", *J. Alloys and Compounds*, 333 (2002) 266-273.

H. T. Takeshita, Y. Sakamoto, N. Takeichi, T. Kiyobayashi, H. Tanaka, N. Kuriyama, H. Senoh: "Synthesis of $\text{CaNi}_{1-x}\text{Pd}_x$ ($0.1 < x < 1$) alloys and hydrogenation properties of CaPd", J. Alloys and Compounds, 347 (2002) 231-238.

Tamagnini P, Costa JL, Almeida L, Oliveira MJ, Salema P and Lindblad, P (2000) Diversity of cyanobacterial hydrogenases, a molecular approach. Current Microbiology 40: 356-361.

Tamagnini P, Axelsson R, Lindberg P, Oxelfelt F, Wünschiers R, Lindblad P. 2002. Hydrogenases and Hydrogen Metabolism of Cyanobacteria. Microbiology and Molecular Biology Reviews 66: 1-20.

G.J. Thomas, K.J. Gross, N.Y.C. Yang, C. Jensen: "Microstructural characterization of catalyzed NaAlH_4 ", J. Alloys and Compounds, 330-332 (2002) 702-707.

N.E. Tran, J.R. Feng, M.A. Imam: "Hydrogen Storage Capacity of Single Walled Carbon Nanotubes Synthesized by Various techniques", Proceedings 2nd IEEE-Nano Conference, August 2002, Washington DC, pp. 397-399.

Troshina O, Serebryakova LT, Sheremetieva ME, Lindblad P. 2002. Production of H_2 by the unicellular cyanobacterium *Gloeocapsa alpicola* CALU 743 during fermentation. International Journal of Hydrogen Energy 27: 1283-1289.

Tsygankov AA, S Kosourov, M Seibert, ML Ghirardi. 2002. Hydrogen Photoproduction under Continuous Illumination by Sulfur-Deprived, Synchronous *Chlamydomonas reinhardtii* Cultures. International Journal of Hydrogen Energy 27: 1239-1244.

M. Turpin, I. Mellor, R.A. Shatwell, C. Prentice, D.J. Browning, J.B. Lakeman, M.L. Gerrard, R.J. Mortimer: "Hydrogen storage in carbon nanofibres for defence applications: the influence of growth parameters on graphitic quality and storage capacity", Proc. 14th World Hydrogen Energy Conf., Montreal, June 9-13, 2002.

P.Vajeeston, P.Ravindran, R.Vidya, A.Kjekshus, H.Fjellvåg, V.A.Yartys: "Short hydrogen-hydrogen separation in $\text{RNiInH}_{1.333}$ ", Physical Review B.

Van Groenestijn JW, Hazewinkel JHO, Nienoord M, Bussmann PJT. 2002. Energy aspects of biological hydrogen production in high rate bioreactors operated in the thermophilic temperature range. International Journal of Hydrogen Energy 27: 1141-1147.

Van Niel EWJ, Budde MAW, de Haas GG, van der Wal FJ, Claassen PAM, Stams AJM. 2002. Distinctive properties of high hydrogen producing extreme thermophiles, *Caldicellulosiruptor saccharolyticus* and *Thermotoga elfii*. International Journal of Hydrogen Energy 27: 1391-1398.

Wakayama, T., J. Miyake. 2001. Hydrogen from Biomass. In: Biohydrogen II, An approach to environmentally acceptable technology. Pages 41-52. Editors: Miyake, J., Matsunaga, T. and San Pietro, A. Pergamon/Elsevier, Oxford, UK. ISBN 0-08-043947-0

Wang, H., T. Lindgren, J. He, A. Hagfeldt and S. Lindquist, "Photoelectrochemistry of nanostructured WO_3 thin film electrodes for water oxidation; mechanism of electron transport." J. Phys. Chem. B, Vol 104, 2000, pp. 5686-5696.

P. Wang, S. Orimo, T. Matsushima, H. Fujii, G. Majer: "Hydrogen in mechanically prepared nanostructured h-BN: a critical comparison with that in nanostructured graphite", *Appl. Phys. Lett.*, 80 (2002) 318-320.

P. Wang, S. Orimo, T. Tanabe, H. Fujii: "Hydrogen in mechanically milled amorphous boron", *J. Alloys and Compounds*.

A. Weidenkaff, S.G. Ebbinghaus, A. Reller, Ph. Mauron, Y. Zhang, A. Züttel: "Metal nanoparticles for the production of carbon nanotubes by decomposition of different carbon sources" *Materials Science Eng.*, 19 (2001) 119-123.

Wenk S, Qian D-J, Wakayama T, Nakamura C, Zorin N, Roegner M, Miyake J. 2002. Biomolecular device for photoinduced hydrogen production. *International Journal of Hydrogen Energy* 27: 1489-1493.

Woodward J, Orr, M, Cordray K and Greenbaum E (2000) Enzymatic Production of Biohydrogen. *Nature* 405: 1014-1015.

Wünschiers R, Lindblad P. 2002. Hydrogen in Education – A Biological Approach. *International Journal of Hydrogen Energy* 27: 1131-1140.

K. Yamamoto, K. Higuchi, H. Kajioaka, M. Honda, H. Sumida, S. Orimo, H. Fujii: "Optical transmission of magnesium hydride thin film with characteristic nanostructure", *J. Alloys and Compounds*, 330-332 (2002) 352-356.

Yakunin AF and Hallenbeck PC (2000) Regulation of nitrogenase activity in *Rhodobacter capsulatus* under dark microoxic conditions. *Archives of Microbiology* 173: 366-372.

V.A. Yartys, R.V. Denys, B.C. Hauback, H. Fjellvåg, I.I. Bulyk, A.B. Riabov, Ya.M. Kalychak: "Short hydrogen-hydrogen separations in novel intermetallic hydrides, $RE_3Ni_3In_3D_4$ ($RE=La, Ce$ and Nd)", *J. Alloys and Compounds*, 330-332 (2002) 132-140.

V.A. Yartys, O. Isnard, A.B. Riabov, L.G. Akselrud: "Unusual effects of hydrogenation: anomalous expansion and volume contractions", *International Symposium on Metal Hydrogen Systems (MH2002)*, Annecy, France, 1-6 September 2002, *J. Alloys and Compounds*.

Y.-F. Yin, T.J. Mays, B. McEnaney: "Molecular simulations of hydrogen storage in carbon nanotube arrays", *Langmuir*, 16 (2000) 10521-10527.

K. Yvon, H. Kohlmann, B. Bertheville: "Europium-hydrogen Bond Distances in Saline Metal Hydrides by Neutron Diffraction", *Chimica*, 55 [No.5] (2001) 505-509.

K. Yvon : "Hydrogen in Novel Solid State Metal Hydrides". *Z. Kristallogr.* (2003).

Q.A. Zhang, H. Enoki, E. Akiba: "Phase relations and hydrogenation behavior of $Sr_{1-x}Ca_xAl_2$ ($0 \leq x \leq 1$)", *J. Alloys and Compounds*, 322 (2001) 257-264.

Q.A. Zhang, H. Enoki, E. Akiba: "Phase relations and hydrogenation behavior of $Sr_{1-x}Ba_xAl_2$ ($0 \leq x \leq 0.5$)", *J. Alloys and Compounds*, 327 (2002) 136-142.

Q. A. Zhang, Y. Nakamura, K. Oikawa, T. Kamiyama, E. Akiba: "Synthesis and Crystal Structure of Sr_2AlH_7 : A New Structural Type of Alkaline Earth Aluminum Hydride", *Inorg. Chem.* 41 (2002) 6547-6849.

Q. A. Zhang, Y. Nakamura, K. Oikawa, T. Kamiyama, E. Akiba: "New Alkaline Earth Aluminum Hydride with One-Dimensional Zigzag Chains of $[\text{AlH}_6]$: Synthesis and Crystal Structure of BaAlH_5 ", *Inorg. Chem.* 41 (2002) 6941-6943.

R. Zidan: "Doped Carbon Nanotubes for Hydrogen Storage", Proceedings of the 2002 U.S. DOE Hydrogen and Fuel Cells Program Annual Program/Lab R&D Review, Golden, May 6-10, 2002, Report NREL/CP 610-32405.

Zou Z., Ye J. and Arakawa H. [2002]: "Surface characterization of nanoparticles of $\text{NiO}_x/\text{In}_{0.9}\text{Ni}_{0.1}\text{TaO}_4$: Effects on photocatalytic activity." *J. Phys. Chem. B (letters)*.

Zubavichus Y., Slovokhotov Y., Nazeeruddin M., Zakeeruddin S., Grätzel M. and Shklover V. [2002]: "Structural characterization of solar cell prototypes based on nanocrystalline TiO_2 anatase sensitized with Ru complexes. X-ray diffraction, XPS, and XAFS spectroscopy study." *Chem. Mater.*, Vol. 14, pp. 3556-3563.

A. Züttel, Ch. Nützenadel, Ph. Mauron, Ch. Emmenegger, P. Sudan, L. Schlapbach, A. Weidenkaff, T. Kiyobayashi, S. Orimo: "Synthesis and Application of C-Nanotubes", Proceedings of EuroCarbon 2000, Berlin, p. 1083.

A. Züttel, P. Sudan, Ph. Mauron, Ch. Emmenegger, T. Kiyobayashi, L. Schlapbach: "Hydrogen interaction with carbon nanostructures", *J. Metastable and Nanocrystalline Materials*, 11 (2001) 95-102.

$\text{Zr}(\text{V}_{0.5}\text{Ni}_{0.5})_3\text{D}_x$ ($x=4.6$) alloy system with Laves-type AB_2 structure", *J. Alloys and Compounds*, 333 (2002) 90-102.

A. Züttel, P. Sudan, Ph. Mauron, T. Kiyobayashi, Ch. Emmenegger, L. Schlapbach: "Hydrogen storage in carbon nanostructures", *Int. J. Hydrogen Energy*, 27 (2002) 203-212.

A. Züttel, Ch. Nützenadel, P. Sudan, Ph. Mauron, Ch. Emmenegger, S. Rentsch, L. Schlapbach, A. Weidenkaff, T. Kiyobayashi: "Hydrogen sorption by carbon nanotubes and other carbon nanostructures", *J. Alloys and Compounds*, 330-332 (2002) 676-682.

A. Züttel, P. Fischer, F. Fauth, A. Otto, V. Güther: "Phase analysis and atom distribution in the T. Kiyobayashi, H. T. Takeshita, H. Tanaka, N. Takeichi, A. Züttel, L. Schlapbach, N. Kuriyama, "Hydrogen Absorption in Carbonaceous Materials – How to Determine the Storage Capacity Accurately", *J. Alloys and Compounds*, 330-332 (2002) 666-669.

A. Züttel, P. Wegner, S. Rentsch, P. Sudan, P. Mauron, C. Emmenegger, L. Schlapbach: "Hydrogen Desorption from Lithiumtetrahydroboride (LiBH_4)", Proceedings 14th World Hydrogen Energy Conference, Montreal, June 9-13, 2002.

A. Züttel, S. Orimo: "Hydrogen in Nanostructured, Carbon-Related, and Metallic Materials", *MRS Bulletin*, 27, No.9 (Sept. 2002) 705-711.

A. Züttel, P. Wenger, S. Rentsch, P. Sudan, Ph. Mauron, Ch. Emmenegger: "LiBH₄ A NEW HYDROGEN STORAGE MATERIAL", J. of Power Sources (2002), submitted.

A. Züttel, S. Rentsch, P. Wenger, P. Sudan, Ph. Mauron, Ch. Emmenegger: "HYDROGEN STORAGE MATERIALS: METALS, CARBON AND COMPLEXES", 11th International Symposium on Processing and Fabrication of Advanced Materials, J. of Power Sources.